

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

March 2, 1906 194

Report from Gulfport, Miss.—Sanitary conditions satisfactory—Mosquito destruction recommended.

Acting Assistant Surgeon Sheely reports, February 18, as follows: The health of this city is excellent. There has been very little sickness of any character throughout the winter.

The authorities of the several coast towns have been requested to make every effort to have a thorough destruction of all mosquitoes in houses before warm weather.

A mass meeting in this city is to be held, February 20, to recommend precautionary measures against a possible recurrence of yellow fever.

STATISTICAL REPORTS OF STATES AND CITIES OF THE UNITED STATES, YEARLY AND MONTHLY.

California—San Francisco.—Month of January, 1906. Estimated population, 475,000. Total number of deaths 713, including diphtheria 4, enteric fever 6, scarlet fever 1, whooping cough 4, and 121 from tuberculosis.

Connecticut—Bridgeport.—Month of January, 1906. Estimated population, 90,000. Total number of deaths, 115, including diphtheria 6 and 11 from tuberculosis.

FLORIDA—Tampa.—Year ended December 31, 1905. Estimated population, 15,839. Total number of deaths, 389, including diphtheria 3, enteric fever 35, and 73 from tuberculosis.

ILLINOIS—*Rockford*.—Month of January, 1906. Estimated population, 40,000. Total number of deaths, 38, including 6 from tuberculosis.

Iowa—Davenport.—Month of December, 1905. Estimated population, 42,000. Total number of deaths, 42, including diphtheria 2, enteric fever 1, and 3 from phthisis pulmonalis.

Month of January, 1906. Total number of deaths, 46, including diphtheria 1, enteric fever 1, and 5 from tuberculosis.

Kansas — Washington County.—Year ended December 31, 1905. Estimated population, 22,000. Total number of deaths, 159, including diphtheria 4, enteric fever 2, scarlet fever 2, and 11 from tuberculosis.

Maine—Portland.—Four weeks ended April 8, 1905. Estimated population, 53,500. Total number of deaths, 62, including diphtheria 1, enteric fever 1, and 8 from tuberculosis.

Four weeks ended May 6, 1905. Total number of deaths, 81, including 8 from tuberculosis.

Four weeks ended June 3, 1905. Total number of deaths, 78, including diphtheria 1 and 8 from tuberculosis.

Four weeks ended July 1, 1905. Total number of deaths, 68, including diphtheria 1, enteric fever 1, and 7 from tuberculosis.

Four weeks ended July 20, 1905. Total number of deaths, 57, including enteric fever 1 and 7 from tuberculosis.